



NATIONAL LAW INSTITUTE UNIVERSITY
Kerwa Dam Road, Bhopal-462044

Phone: (0755)- 2696777(O)

Fax: (0755)- 2696965 (O)

E-mail: info@nliu.com

Website: www.nliu.ac.in

Ref. No. 1923 / NLIUB

Dated: 11-06-2024

Notice Inviting Quotations

Sealed quotations are invited by Registrar on Behalf of University from reputed Licensed Firms/Contractors/Agencies experienced in similar nature of work "Miscellaneous Civil Repairing work at Sports Complex of NLIU, Bhopal. The agency has to mandatorily visit the Sports Complex center to understand the nature and extent of job, for proper inspection of the work and their quoted rates should be inclusive of material, and labour complete in all respect. **The Agency has to enclose its self-attested copies of PAN Card and GST Number along with the sealed envelope.** The quotations with specific rates for the under mentioned item will be received up to 12.00 pm on 18.06.2024 and will be opened on the same day at 3.30 PM. The agency shall download the prescribed format our website: www.nliu.ac.in/tender.

The quotation should be addressed to the REGISTRAR, NATIONAL LAW INSTITUTE UNIVERSITY, NEAR KERWA DAM ROAD, BHOPAL-462044, superscribing the envelope with "Miscellaneous Civil Repairing work at Sports Complex of NLIU, Bhopal.

Terms and Conditions:

1. Sealed Quotations are invited for "Miscellaneous Civil Repairing work at Sports Complex of NLIU, Bhopal.
2. The work will be carried out as per relevant Specifications, BOQ and areas/locations as directed complete.
3. If any accident or mishappening occurs due to poor workmanship, the bidder will be wholly responsible for the same.
4. The work is of urgent nature and is to be completed within 20 days after issue of work order.
5. Contractor must visit site before quoting and fully satisfy himself of the site conditions. No Compensation on account of any site difficulties will be entertained, at a later date, after award of the work.
6. In case, the date of submission/opening of tenders happens to be holiday, the tenders shall be received / opened on the next working day.
7. It will be the responsibility of the vendor for the safety towards work and the cost towards



transportation, packing, loading, unloading etc. will also be borne by the vendor himself.

8. Quotation should reach the Registrar office as mentioned. University is not responsible for any kind of postal delay.
9. Contractor shall abide by labour rules and regulations.
10. All the applicable taxes shall be deducted from bill.
11. All material to be used on the work will have to be got approved from the Engineer-in-charge
12. Payment shall be made as per actual quantities of executed works.
13. The University may increase or decrease the scope of work up to 20% of the order value.
14. During execution of work, Engineer may make minor changes in the scope of work as per site conditions or other reasons. Contractor will have no extra claim in his rates for the same.
15. The right to accept a bid will rest with the National Law Institute University, Bhopal.
16. In case, the vendor fails to comply the terms & conditions, the University may terminate the contract without assigning any reason and is free to dispose of the waste paper items in such a manner as may be deemed appropriate.



✓
11/6/2014

Registrar



1923

Ref. No. :- ~~1923~~ /NLIUB

Date: 11/06/2024

Name of the Work: Miscellaneous Civil Repairing work at Sports Complex of NLIU, Bhopal.

Name of the Firm : _____

Schedule of Quantities					
Name of Work: "Miscellaneous Civil Repairing work at Sports Complex of NLIU, Bhopal."					
Name of the Firm:					
Sr. No.	Description of Items	Qty	Unit	Rate (In Rupees)	Total Amount with GST (In Rs.)
1	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body /plate with double spring mechanism and door weight upto 125 kg., for doors, including cost of cutting floors , embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge : With stainless steel cover plate - minimum 1.25 mm thickness	04	Each		
2	Providing and fixing 50 micron thick Frosted heat /light control film to window/door glazing with complete accessories as per direction of Engineer-in-charge of approved brand and make.	5	Sqm		
3	Renewing glass panes with now wooden fillets wherever necessary: Float glass panes of thickness 5.5 mm	4	Sqm		
4	Renewal of old putty of glass panes (length).	7.8	Meter		
5	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead: Of area 3 sq. metres and below.	1	Each		
6	Providing and fixing pressed steel door frames made of 1.6 mm thick steel profile conforming to IS: 4351 manufactured from commercial mild steel sheet including hinges, jamb, lock jamb, bead and if required angle threshold of mild steel angle of section 50x25mm, or base ties of 1.60 mm pressed mild steel welded or rigidly fixed together by mechanical means, including 2.5mm thick M.S. pressed butt hinges, with mortar guards, lock strike plate and shock absorbers as specified filling the frame with Cement Concrete 1:3:6 at site before fixing fixing with adjustable lugs (200 mm long & 1.0 mm thick) and applying a coat of	5.2	Meter		



	approved steel primer after pre-treatment of the surface as directed by Engineer-in-charge: Profile B of 1.60mm thick single rebate of size 80 mm x 50 mm Fixing with adjustable lugs with split end tail to each jamb.				
7	Structural steel work in single section fixed with or without connecting plate including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	800	KG		
8	Finishing with Epoxy paint (two or more coats) at all locations prepared and applied as per manufacturer's specifications including appropriate priming coat, preparation of surface, etc. complete. On steel work	100	Sqm		
9	Welding by gas or electric plant including transportation of plant at site etc. complete.	1000	Cm		
10	Providing and fixing pre-coated galvanised steel sheet roofing accessories 0.50 mm + 0.05 % total coated thickness, Zinc coating 120 gsm as per IS: 277 in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15- 18 microns using self-drilling/ self- tapping screws complete : Crimp curve	5	Sqm		
	TOTAL				

- Note:** 1. Quoted rate should be inclusive of all applicable taxes including GST (nothing extra shall be payable).
2. All Statutory deduction will be made as per prevailing rates.

Date:
Place:

Signature:
Name:
Designation:
Firm seal:

